REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burson for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources gathering and maintaining the data needed, and completing and reviewing the collection of information. Send committee reparating this burson estimate or any other aspect of this collection of information, including suggestions for reducing this burson, to Washington reasonaiters Services. Directorate for information Coercitions and Reports, 1215 Jemerson Davis Highway, Suite 1204, Arrington, VA. 22203-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE

Feb. 24, 1995

3. REPORT TYPE AND DATES COVERED

Final 6/1/91-12/31/94

4. TITLE AND SUBTITLE

Clouds--Their Prediction and Simulation

5. FUNDING NUMBERS 61102F 2310A1

6. AUTHOR(S)

W.R. Cotton

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Colorado State University Dept. of Atmospheric Science-Fort Collins, CO 80523-1371 8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Office of Scientific Research/NM 110 Duncan Avenue, Suite B115 Bolling AFB, DC 20332-0001 10. SPONSORING / MONITORING AGENCY REPORT NUMBER

AFOSR-91-0269

11. SUPPLEMENTARY NOTES

19950403 027

12a. DISTRIBUTION/AVAILABILITY STATEMENT

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

125. DISTRIBUTION CODE

13. Physically-based cloud forecasting algorithms have been developed in support of the long range goal of developing a comprehensive mesoscale numerical prediction cloud forecast system.

Algorithms for forecasting cirrus clouds include development of both heterogeneous and homogeneous ice nucleation schemes, a double-moment ice crystal distribution parameterization, liquid and ice saturation calculations at very cold temperatures, and of radiative properties of cirrus. The impact of these algorithms on mesoscale prediction of cirrus has been evaluated for a number of FIRE I and II cirrus data sets.

One of the FIRE stratus cases was simulated to evaluate various boundary layer cloud fractional coverage schemes. The best performing schemes have been interfaced with the RAMS radiation codes for forecasting boundary layer stratus.

A convective cloud parameterization scheme designed for use in mesoscale models has been tested against data observed during the CaPE over South Florida. Improvements to the cumulus parameterization scheme are now being made and tested.

A new two-moment microphysics scheme has been developed, implemented and tested in RAMS. The additional degrees of freedom in this scheme allow a more realistic prediction of cloud microstructure and corresponding radar reflectivities and optical depths.

14. SUBJECT TERMS cloud prediction, cirrus, stratocumulus, mesoscale modeling, radiative transfer, cloud physics.

15. NUMBER OF PAGES
12 pages

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

18. SECURITY CLASSIFICATION OF THIS PAGE

. UNCLASSIFIED

19. SECURITY CLASSIFICATION OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

UNCLASSIFIED
NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Processes by ANN HE 239-16 298-102 For Period 1 June 1991 - 31 December 1994

CLOUDS - THEIR PREDICTION AND SIMULATION

William R. Cotton, Professor Principal Investigator

Graeme L. Stephens Co-Investigator


Colorado State University Dept. of Atmospheric Science Fort Collins, CO 80523 (303) 491-8593

February 24, 1995

Prepared for:

Air Force Office of Scientific Research/NM 110 Duncan Avenue, Suite B115 Bolling Air Force Base, DC 20332-0001

This document has been approved for public release and sale; its distribution is unlimited.



Contents

1	Introduction	2
2	Research Accomplishments	2
	Research Accomplishments 2.1 Forecasting Cirrus Clouds	2
	2.2 Forecasting Boundary Layer Clouds	3
	2.3 Forecasting Transient Cumuli and Cumulonimbi	3
	2.4 Cloud Microphysics Parameterization	4
	2.5 Other Cloud-forecasting Research	5
3	Graduate Students Supported	6
4	References	7
5	Publications Supported by this Grant	10
		10
		10
	5.3 Theses and Dissertations	12

Accesion	For				
NTIS DTIC Unanno Justifica	TAB unced	1			
By					
					Dist
A-1		·,			

Abstract

Physically-based cloud forecasting algorithms have been developed in support of the long range goal of developing a comprehensive mesoscale numerical prediction cloud forecast system.

Algorithms for forecasting cirrus clouds include development of both heterogeneous and homogeneous ice nucleation schemes, a double-moment ice crystal distribution parameterization, of liquid and ice saturation calculations at very cold temperatures, and of radiative properties of cirrus. The impact of these algorithms on mesoscale prediction of cirrus has been evaluated for a number of FIRE I and II cirrus data sets.

One of the FIRE stratus cases was simulated to evaluate various boundary layer cloud fractional coverage schemes. The best performing schemes have been interfaced with the RAMS radiation codes for forecasting boundary layer stratus.

A convective cloud parameterization scheme designed for use in mesoscale models has been tested against data observed during the CaPE over South Florida. Improvements to the cumulus parameterization scheme are now being made and tested.

A new two-moment microphysics scheme has been developed, implemented and tested in RAMS. The additional degrees of freedom in this scheme allow a more realistic prediction of cloud microstructure and corresponding radar reflectivities and optical depths.

1 Introduction

This represents a final Technical Report on AFOSR contract #AFOSR-91-0269 for the period 1 June 1991 - 31 December 1994.

The long range goal of this research is to develop a comprehensive mesoscale numerical prediction cloud forecast system that can be used to support U.S. Air Force operations. To meet that goal we are developing and testing physically-based cloud forecasting algorithms that are sufficiently general to be useful in operational theaters anywhere in the world. These physically-based algorithms have been implemented in RAMS an an integrated, interactive package. Moreover, the more successful of these algorithms are being further tested by running them daily in a realtime forecast version of RAMS run on high-performance workstations.

2 Research Accomplishments

2.1 Forecasting Cirrus Clouds

Research in developing the capability of forecasting cirrus clouds includes developing and refining models of heterogeneous and homogeneous nucleation of the microphysics of cirrus

clouds (Meyers et al., 1993; DeMott et al., 1992, 1994), developing a parameterization for transfer of pristine crystal mass and number concentration to snow and vice versa (Harrington, 1994; Harrington et al., 1995), extending methods for determining saturation vapor pressures at the very cold temperatures characteristic of cirrus clouds (Flatau et al., 1992), and developing parameterizations of the radiative properties of cirrus (Flatau et al., 1993; Flatau et al., 1992; Flatau, 1992).

In addition, using RAMS, we have performed exploratory mesoscale simulations of several cirrus case studies observed during FIRE I and II (Heckman and Cotton, 1993; Pielke et al., 1992; Heckman et al., 1991; Heckman, 1991; DeMott et al., 1994) as well as prototype realtime mesoscale forecasts of cirrus (Cotton et al., 1994; Thompson and Cotton, 1992, 1993; Thompson, 1993).

We are now in the process of repeating the FIRE II case study simulations with the new version of the RAMS microphysics.

2.2 Forecasting Boundary Layer Clouds

We have been examining the potential of forecasting boundary layer clouds using the small scale turbulence parameterization developed by Weissbluth and Cotton (1993). We have interfaced this scheme with several cloud fractional coverage schemes and tested their performance against data observed during the 7 July 1987 FIRE marine stratus case (Betts and Boers, 1990) and for a continental boundary cloud case observed during the 1983 Boundary Layer Experiment (Stull and Eloranta, 1984). As described by Mocko and Cotton (1993, 1995) the schemes which performed the best were the simple relative humidity-based schemes of Sundqvist et al. (1989) and Kvamsto (1991) as well as the Ek and Mahrt (1991) scheme. These schemes are being interfaced with the Chen and Cotton (1987) radiation scheme in RAMS.

2.3 Forecasting Transient Cumuli and Cumulonimbi

At this time it is not possible to perform explicit simulations of cumuli and cumulonimbi in a realtime mesoscale forecast model. Even at grid spacings of 5-10 km, some form of convective parameterization is required. The convective parameterization scheme developed by Weissbluth and Cotton (1993) was designed for small mesoscale grid spacings but it was calibrated for only intense cumulonimbus clouds such as supercell storms and squall line thunderstorms. As a result we have found that it does not perform well, in general, when the prevailing cloud types are transient cumulonimbi and towering cumuli. In some specific cases, the scheme does perform quite well such as one of the Convective and Precipitation Electrification Experiments (CaPE) examined by Edwards (1993).

Scot Randell has therefore taken on the task of extending or developing a scheme that overcomes the deficiencies of the Weissbluth and Cotton scheme. Because the Weissbluth and Cotton scheme is quite time-consuming, it appears that quite a different approach from what they used will be needed.

2.4 Cloud Microphysics Parameterization

The new single-moment microphysical scheme described by Walko et al. (1994) which was implemented into RAMS has been extended to prediction of two-moments of the hydrometeor distributions. This new scheme described by Meyers (1995) allows prediction on both the concentration and mixing ratio of the distribution function for each hydrometeor category making the determination of each hydrometeor size spectra less arbitrary. With more detailed physics the model should have the potential to allow for the evolution of the hydrometeor spectra and provide improved forecasts of radar reflectivity and cloud optical depths. The new microphysics also allows prediction of an additional hydrometeor species, hail. Some highlights of the model include:

- The use of a generalized gamma. size-spectrum where the ν parameter can be prescribed by the user as opposed to a fixed Marshall Palmer spectrum.
- The introduction of ice-liquid mixed phase graupel and hail categories categories with non-thermal equilibrium for the rain, graupel and hail classes.
- New heterogeneous and homogeneous ice nucleation parameterizations.

- Approximate solutions to the stochastic collection equation rather than the continuous accretion model approach.
- Breakup of rain droplets is formulated into the collection efficiency.
- Analytical flux equations predict mixing ratio and number concentration conversion from pristine ice crystals to snow due to deposition (no riming).
- Predictive equations for ice nuclei (IN).
- Crystal habit is diagnosed dependent on temperature and saturation
- Evaporation and melting of each species assumes that the smallest particles completely disappear first.
- More complex shedding formulations which take into account the amount of water mass on the coalesced hydrometeor.

After testing the new scheme, two case studies were examined, a wintertime orographic precipitation event over the Front Range of Colorado from the Winter Icing and Storms Project (WISP91), and a summertime convective case over the High Plains of Montana from the Cooperative Convective Precipitation Experiment (CCOPE81). These cases allowed comparisons between the two-moment predictive scheme and the one-moment predictive scheme and highlighted the advantages of independently predicting on two moments of the hydrometeor spectra. Detailed analysis was also done on these two cases with special attention given to radar reflectivity, aircraft, and ground-based measurements.

2.5 Other Cloud-forecasting Research

Other research conducted during this period includes:

- quantitative precipitation forecasts of wintertime orographic cloud from the Sierra Nevada range of California (Meyers and Cotton, 1992).
- 2. simulation of a Front Range Colorado blizzard (Meyers and Cotton, 1993).

3. simulation of a downslope windstorm including investigation of the effects of clouds and precipitation (Beitler et al., 1994; Cotton et al., 1995).

3 Graduate Students Supported

Brian Beitler M.S. graduate student (AFIT) Ben Edwards M.S. graduate student (AFIT) Piotr J. Flatau Ph.D. graduate student M.S. graduate student (AFIT) Scot Heckman M.S. graduate student Jerry Harrington Ph.D. graduate student Michael Meyers David Mocko M.S. graduate student M.S. graduate student Gregory Thompson

4 References

- Beitler, Brian A., William R. Cotton, and J. Christopher Clarke, 1994: Simulation of the 3 July Colorado downslope windstorm. Preprints, Tenth Conference on Numerical Weather Prediction, 17-22 July, Portland, Oregon, 615-617.
- Betts, A. K., and R. Boers, 1990: A cloudiness transition in a marine boundary layer. J. Atmos. Sci., 47, 12, 1480-1497.
- Chen, C. and W.R. Cotton, 1987: The physics of the marine stratocumulus-capped mixed layer. J. Atmos. Sci., 44, 2951-2977.
- Cotton, W.R., G. Thompson, and P.W. Mielke, Jr., 1994: Real-time mesoscale prediction on workstations. Bull. Amer. Met. Soc., 75, 349-362.
- Cotton, W.R., J.F. Weaver, and B.A. Beitler, 1995: An unusual summertime downslope wind event in Fort Collins, Colorado on 3 July 1993. J. Wea. Forecasting, accepted.
- DeMott, P.J., M.P. Meyers, and W.R. Cotton, 1992: Numerical model simulations of cirrus clouds including homogeneous Ice nucleation. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA.
- DeMott, P.J., M.P. Meyers, and W.R. Cotton, 1994: Parameterization and impact of ice initiation processes relevant to numerical model simulations of cirrus clouds. *J. Atmos. Sci.*, **51**, 77-90.
- Edwards, Captain Benjamin I., II, 1993: Prototype terminal aerodrome forecasts using a mesoscale model. M.S. Thesis, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523. (Available as Atmos. Sci. Paper #544.)
- Ek, M., and L. Mahrt, 1991: A formulation for boundary-layer cloud cover. Ann. Geophysicae, 9, 716-724.
- Flatau, P.J., 1992: Scattering by irregular particles in anomalous diffraction and discrete dipole approximations. Ph.D. dissertation, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523. (Available as Dept. of Atmospheric Science Paper No. 517).
- Flatau, P.J., W.R. Cotton, and G.L. Stephens, 1992: Clouds and two-stream radiative transfer approximation algorithms and codes. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA
- Flatau, P.J., K.A. Fuller, and D.W. Mackowski, 1993: Scattering by two spheres in contact: Comparisons between discrete-dipole approximation and modal analysis. *Appl. Optics*, 32, 3302-3305.

- Harrington, Jerry L., 1994: Parameterization of ice crystal conversion processes in cirrus clouds using double-moment basis functions. M.S. Thesis, Atmospheric Science Paper No. 554, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 135 pp.
- Harrington, Jerry L., Michael P. Meyers, Robert L. Walko, and William R. Cotton, 1995: Parameterization of ice crystal conversion processes due to vapor deposition for mesoscale models using double-moment basis functions. Part I: Basic formulation and parcel model results. J. Atmos. Sci., special FIRE issue, accepted.
- Heckman, Capt. Scot T., 1991: Numerical simulation of cirrus clouds FIRE case study and sensitivity analysis. M.S. Thesis, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 132 pp. (Atmospheric Science Paper #483)
- Heckman, S.T., and W.R. Cotton, 1993: Mesoscale numerical simulation of cirrus clouds—FIRE case study and sensitivity analysis. *Mon. Wea. Rev.*, 121, 2264-2284.
- Heckman, S.T., W.R. Cotton, and P.J. Flatau, 1991: Mesoscale numerical simulation of cirrus clouds FIRE case study. Preprints, 9th Conf. on Numerical Weather Prediction, 14-18 Oct 1991, Denver, CO., Amer. Met. Soc.
- Kvamsto, N. G., 1991: An investigation of diagnostic relations between stratiform cloud cover and other meteorological parameters in numerical weather prediction models. J. Appl. Meteor., 30, 200-216.
- Meyers, M.P., 1995: The impact of a two-moment cloud model on the microphysical structure of two precipitation events. Ph.D. dissertation, Colorado State University, Dept. of Atmospheric Science, in preparation.
- Meyers, M.P., and W.R. Cotton, 1992: Evaluation of the potential for wintertime quantitative precipitation forecasting over mountainous terrain with an explicit cloud model. Part I: Two-dimensional sensitivity experiments. J. Appl. Meteor., 31, 26-50.
- Meyers, M.P., and W.R. Cotton: 1993: Examination of 5-7 March 1990 Front Range blizzard with a mesoscale model with explicit cloud physics. Proc., 13th Conf. on Weather Analysis and Forecasting, 2-6 Aug. 1993, Vienna, VA, AMS.
- Mocko, D.M. and W.R. Cotton, 1993: Predicting boundary-layer fractional cloudiness in a mesoscale model. Proc., 13th Conf. on Weather Analysis and Forecasting, 2-6 Aug. 1993, Vienna, VA, AMS.
- Mocko, David M., and William R. Cotton, 1995: Evaluation of fractional cloudiness parameterizations for use in a mesoscale model. J. Atmos. Sci., special FIRE issue, accepted.

- Pielke, R.A., W.R. Cotton, R.L. Walko, C.J. Tremback, W.A. Lyons, L.D. Grasso, M.E. Nicholls, M.D. Moran, D.A. Wesley, T.J. Lee, and J.H. Copeland, 1992: A comprehensive meteorological modeling system RAMS. Meteorol. Atmos. Phys., 49, 69-91.
- Stull, R.B., and E.W. Eloranta, 1984: Boundary layer experiment 1983. Bull. Amer. Meteor. Soc., 65, 450-456.
- Sundqvist, H., E. Berge and J. E. Kristjansson, 1989: Condensation and cloud parameterization studies with a mesoscale NWP model. *Mon. Wea. Rev.*, 117, 1641-1657.
- Thompson, Gregory, 1993: Prototype real-time mesoscale prediction during 1991-92 winter season and statistical verification of model data. M.S. Thesis, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 105 pp. (Available as Atmos. Sci. Paper No. 521.)
- Thompson, G., and W.R. Cotton, 1992: Prototype real-time forecasting of clouds and precipitation using a mesoscale model. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA.
- Thompson, G., and W.R. Cotton, 1993: Winter season mesoscale prediction and and statistical analysis. Preprints, 13th Conf. on Weather Analysis & Forecasting, 2-6 August 1993, Vienna, VA, Amer. Met. Soc.
- Walko, R.L, W.R. Cotton, J.L. Harrington, M.P. Meyers, 1994: New RAMS cloud microphysics parameterization. Part I: The single-moment scheme. Accepted to Atmos. Res.
- Weissbluth, M.J., and W.R. Cotton, 1993: The representation of convection in mesoscale models. Part I: Scheme fabrication and calibration. J. Atmos. Sci., 50, 3852-3872.

5 Publications Supported by this Grant

5.1 Reviewed Publications

- Flatau, P.J., R.L. Walko, and W.R. Cotton, 1992: Polynomial fits to saturation vapor pressure. J. Appl. Met., 31, 1507-1513.
- Pielke, R.A., W.R. Cotton, R.L. Walko, C.J. Tremback, W.A. Lyons, L.D. Grasso, M.E. Nicholls, M.D. Moran, D.A. Wesley, T.J. Lee, and J.H. Copeland, 1992: A comprehensive meteorological modeling system RAMS. Meteorol. Atmos. Phys., 49, 69-91.
- Heckman, S.T., and W.R. Cotton, 1993: Mesoscale numerical simulation of cirrus clouds—FIRE case study and sensitivity analysis. *Mon. Wea. Rev.*, 121, 2264-2284.
- Flatau, P.J., K.A. Fuller, and D.W. Mackowski, 1993: Scattering by two spheres in contact: Comparisons between discrete-dipole approximation and modal analysis. *Appl. Optics*, 32, 3302-3305.
- DeMott, P.J., M.P. Meyers, and W.R. Cotton, 1994: Parameterization and impact of ice initiation processes relevant to numerical model simulations of cirrus clouds. *J. Atmos. Sci.*, 51, 77-90.
- Cotton, W.R., G. Thompson, and P.W. Mielke, Jr., 1994: Real-time mesoscale prediction on workstations. Bull. Amer. Met. Soc., 75, 349-362.
- Harrington, Jerry L., Michael P. Meyers, Robert L. Walko, and William R. Cotton, 1995: Parameterization of ice crystal conversion processes due to vapor deposition for mesoscale models using double-moment basis functions. Part I: Basic formulation and parcel model results. J. Atmos. Sci., special FIRE issue, accepted.
- Mocko, David M., and William R. Cotton, 1995: Evaluation of fractional cloudiness parameterizations for use in a mesoscale model. J. Atmos. Sci., special FIRE issue, accepted.
- Cotton, W.R., J.F. Weaver, and B.A. Beitler, 1995: An unusual summertime downslope wind event in Fort Collins, Colorado on 3 July 1993. J. Wea. Forecasting, accepted.

5.2 Conference Papers

Heckman, S.T., W.R. Cotton, and P.J. Flatau, 1991: Mesoscale numerical simulation of cirrus clouds – FIRE case study. Preprints, 9th Conf. on Numerical Weather Prediction, 14-18 Oct 1991, Denver, CO., Amer. Met. Soc.

- DeMott, P.J., M.P. Meyers, and W.R. Cotton, 1992: Numerical model simulations of cirrus clouds including homogeneous Ice nucleation. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA.
- Flatau, P.J., W.R. Cotton, and G.L. Stephens, 1992: Clouds and two-stream radiative transfer approximation algorithms and codes. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA
- Meyers, M.P., and W.R. Cotton, 1992: Sensitivity of quantitative precipitation forecasts (QPF) to spatial resolution using a mesoscale model with explicit cloud physics. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA.
- Thompson, G., and W.R. Cotton, 1992: Prototype real-time forecasting of clouds and precipitation using a mesoscale model. Preprints, 11th Conf. on Clouds & Precipitation, 17-21 Aug. 1992, Montreal, Quebec, CANADA.
- Thompson, G., and W.R. Cotton, 1993: Winter season mesoscale prediction and and statistical analysis. Preprints, 13th Conf. on Weather Analysis & Forecasting, 2-6 August 1993, Vienna, VA, Amer. Met. Soc.
- Meyers, M.P., and W.R. Cotton: 1993: Examination of 5-7 March 1990 Front Range blizzard with a mesoscale model with explicit cloud physics. Proc., 13th Conf. on Weather Analysis and Forecasting, 2-6 Aug. 1993, Vienna, VA, AMS.
- Mocko, D.M. and W.R. Cotton, 1993: Predicting boundary-layer fractional cloudiness in a mesoscale model. Proc., 13th Conf. on Weather Analysis and Forecasting, 2-6 Aug. 1993, Vienna, VA, AMS.
- Harrington, J.L., M.P. Meyers, P. DeMott, and W.R. Cotton, 1994: Sensitivity studies of the 25-26 November FIRE II Cirrus event. Proc., 8th Conf. on Atmospheric Radiation, 23-28 January 1994, Nashville, TN, AMS.
- DeMott, Paul J., Michael P. Meyers, Jerry L. Harrington, and William R. Cotton, 1994: A three-dimensional investigation of the 26 November 1991 FIRE case study with RAMS. Proc., 8th Conf. on Atmospheric Radiation, 23-28 January 1994, Nashville, TN.
- Cotton, William R., Brian A. Beitler, and J. Christopher Clarke, 1994: Mesoscale Fore-casting on Workstations. Proceedings, International Symposium on the Life Cycles of Extratropical Cyclones, June 27 July 1, 1994, Bergen, Norway, 280-285,

- Brian A. Beitler, William R. Cotton, and J. Christopher Clarke, 1994: Simulation of the 3 July Colorado downslope windstorm. Preprints, Tenth Conference on Numerical Weather Prediction, 17-22 July, Portland, Oregon, 615-617.
- Meyers, Michael P., and William R. Cotton, 1995: Numerical investigation of two diverse precipitation events with the new two-moment microphysical scheme in RAMS. Preprints, Conference on Cloud Physics, 15-20 January, 1995, Dallas, Texas.

5.3 Theses and Dissertations

- Heckman, Capt. Scot T., 1991: Numerical simulation of cirrus clouds FIRE case study and sensitivity analysis. M.S. Thesis, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 132 pp. (Atmospheric Science Paper #483)
- Flatau, P.J., 1992: Scattering by irregular particles in anomalous diffraction and discrete dipole approximations. Ph.D. dissertation, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523. (Available as Dept. of Atmospheric Science Paper No. 517).
- Thompson, Gregory, 1993: Prototype real-time mesoscale prediction during 1991-92 winter season and statistical verification of model data. M.S. Thesis, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 105 pp. (Available as Atmos. Sci. Paper No. 521.)
- Edwards, Captain Benjamin I., II, 1993: Prototype terminal aerodrome forecasts using a mesoscale model. M.S. Thesis, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523. (Available as Atmos. Sci. Paper #544.)
- Beitler, Capt. Brian A., 1994: Mesoscale numerical prediction of Colorado snowfall and winds. M.S. thesis, Atmospheric Science Paper NO. 556, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 83 pp.
- Harrington, Jerry L., 1994: Parameterization of ice crystal conversion processes in cirrus clouds using double-moment basis functions. M.S. Thesis, Atmospheric Science Paper No. 554, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 135 pp. Mocko, David M., 1994: Diagnosing boundary-layer fractional cloudiness in a mesoscale model. M.S. Thesis, Atmospheric Science Paper No. 553, Colorado State University, Dept. of Atmospheric Science, Fort Collins, CO 80523, 107 pp.
- Meyers, M.P., 1995: The impact of a two-moment cloud model on the microphysical structure of two precipitation events. Ph.D. dissertation, Colorado State University, Dept. of Atmospheric Science, in preparation.